

nsk linear bearings dimensions tolerances

Our company offers different nsk linear bearings, nsk linear bearings cad, nsk linear guide tutorial, nsk linear guide price at Wholesale Price? Here, you can get high quality and high efficient nsk linear bearings

NSK Linear - Linear Bearings - Products | John Handley John Handley Bearings is a reliable authorised NSK distributor with an NSK ARE ONE OF THE WORLD LEADERS IN SUPERIOR LINEAR MOTION

NSK Linear Guides - Steven Engineering NSK has the K1™ Lubrication Units for all five series of interchangeable NSK has a plating for linear bearings and rails to cover conditions requiring wet, discounted automation products: Linear Bearings/Rail, NSK15mm material includes one piece of linear rail measuring 750mm in length with two heavy duty square-type bearings with four threaded mounting holes in each

ANGULAR CONTACT BALL BEARINGS								
	d	B	D	Y3	C0	X1	UPC	DE_
QAF09A1 12SEM	4.5000 in	-	7.0000 in	-	-	-	-	-
QAFL09A 045SB	4.9375 in	-	-	-	-	-	-	-
QAFL09A 045SN	-	-	18 mm	-	-	-	-	-
QAFYP13 A060SB	-	-	-	-	-	-	-	-
QAFYP13 A060SEO	-	-	-	-	-	-	-	-
QAFYP13 A060SM	-	-	-	-	-	-	-	-
QMF08J1 08SEM	3.1875 in	5-9/64 in	-	-	-	-	-	-
DVF13K0 60SEO	-	-	-	-	-	-	-	-
QVFKP20 V304SEC	-	-	-	-	-	-	-	-
QAACW1 1A055SB	-	-	-	-	-	-	-	-
QAFL11A 055SET	-	-	9-3/4 in	-	-	-	-	-
QVVFL19 V308SQ	2.9375 in	-	-	-	-	-	-	-
QMF11J2 03SEM	22 mm	30 mm	-	-	-	-	-	-
DVF17K3	2 in	-	-	-	-	-	-	-

00SEO									
QAFL11A055ST	3.8000 in	-	-	-	-	-	-	-	-
QVFKP22V312SB	-	-	-	-	-	-	-	-	-
QVVFL19V090SO	-	-	-	-	-	-	-	-	-
DVF20K090SEO	45 mm	-	-	-	-	-	-	-	-
QVFKP22V312SEB	-	-	-	-	-	-	-	-	-
N307ET	-	-	-	-	-	-	-	-	-
NU230W	-	-	-	-	-	-	-	-	-
NJ308ET	-	-	-	-	-	-	-	-	-
NU314ET	-	-	-	-	-	-	-	-	-
NJ2205ET	-	-	-	-	-	-	-	-	-
NN3010MBKRE44CC1P4	-	1.457 Inch 37 Mill	6.299 Inch 160 Mil	-	-	-	-	-	-
NN3017MBKRE44CC1P4	-	-	3.937 Inch 100 Mil	-	-	-	-	-	-
NU1008M	-	-	-	-	-	-	-	-	-
NU207ET	1.181 Inch 30 Mill	-	1.85 Inch 47 Milli	-	-	-	-	-	-
NU211ET	-	-	-	-	-	-	-	-	-
NUP206E I	-	-	-	-	-	-	-	-	-
NU311ET	-	-	1.417 Inch 36 Mill	-	-	-	-	-	-
NUP2213 ET	-	-	-	-	-	-	-	-	-
NNU-4924-KMS P/5	-	-	-	-	-	-	-	-	-
N-222E M	950	-	-	2.4	36500	1	-	1257.883	
N-222E M C/3	-	-	-	-	-	-	-	-	-
NNU-4926 MS P/5	-	-	-	-	-	-	-	-	-
NU-1007 M C/3	-	-	-	-	-	-	-	-	-
N-224 C/3	5.512 Inch 140 Mil	-	-	-	-	-	-	-	-
N-224 C/4	-	-	-	-	-	-	-	-	-
N-224	-	-	-	-	-	-	-	-	-
NU-1007E	-	-	-	-	-	-	-	-	-

N-224 M C/3	-	-	-	-	-	-	-	-
N-224 M	-	-	-	-	-	-	-	-
N-224E	-	-	-	-	-	-	-	-
N-224E C/3	-	-	-	-	-	-	-	-
N-224E M	-	-	-	-	-	-	-	-
N-224E M C/3	-	-	-	-	-	-	-	-
N-226	-	-	-	-	-	-	-	-
N-226 C/3	2.362 Inch 60 Mill	-	-	-	-	-	-	-
NU-1008 M	3.5 Inch 88.9 Mill	-	6.375 Inch 161.925	-	-	-	-	-
NU-1008 M C/3	-	-	-	-	-	-	-	-
N-226 M	-	-	-	-	-	-	-	-
N-226E	-	-	-	-	-	-	-	-
N-226 M C/3	-	-	-	-	-	-	-	-
N-226E C/3	-	-	3.543 Inch 90 Mill	-	-	-	-	-
NU-1009 M	-	-	-	-	-	-	-	-
N-226E M	-	-	-	-	-	-	-	-
N-226E M C/3	-	-	-	-	-	-	-	-
N-228	-	-	3.15 Inch 80 Milli	-	-	-	-	-
NU-1009 M C/3	0.5000 in	-	-	-	-	-	78247511 4245	-
N-228 C/3	-	-	-	-	-	-	-	-
N-228 M	1.25 Inch 31.75 Mi	-	-	-	-	-	-	-
N-228 M C/3	-	-	-	-	-	-	-	-
NU-1014 M C/3	-	-	0.315 Inch 8 Milli	-	-	-	-	-
NU-2232E M	-	-	-	-	-	-	-	-
N-221 M	-	-	-	-	-	-	-	-
N-221 C/3	-	2.748 Inch 69.799	-	-	-	-	-	-
N-221	3.188 Inch 80.975	-	4.62 Inch 117.348	-	-	-	-	-
N-221 M	-	-	-	-	-	-	-	-

C/3									
N-221E	-	-	-	-	-	-	-	-	-
NNU-49/500-KMS P/5	-	-	-	-	-	-	-	-	-
NNU-4920 MS P/5	1.772 Inch 45 Mill	-	-	-	-	-	-	-	-
N-221E M	1.181 Inch 30 Mill	-	-	-	-	-	-	-	-
N-222 M	-	-	-	-	-	-	-	-	-
NNU-4920 MS P/5 C/3	-	-	-	-	-	-	-	-	-
N-221E C/3	0 Inch 0 Millimete	2.125 Inch 53.975	-	-	-	-	-	-	-
NNU-4920 -KMS P/5	-	-	-	-	-	-	-	-	-
N-221E M C/3	-	-	-	-	-	-	-	-	-
N-222 M C/3	-	-	-	-	-	-	-	-	-
N-222E	3.438 Inch 87.325	-	3.69 Inch 93.726 M	-	-	-	-	-	-
NNU-4921 MS P/5	-	-	-	-	-	-	-	-	-
N-214E M	-	-	-	-	-	-	-	-	-
N-215 M	-	-	-	-	-	-	-	-	-
N-215 C/3	-	-	-	-	-	-	-	-	-
N-214E M C/3	-	-	-	-	-	-	-	-	-

NSK Linear Motion Equipment for sale | eBayResults 1 - 48 of 485 - Get the best deal for NSK Linear Motion Equipment from the largest online selection at eBay.com. Browse your favorite brands ? affordable

Linear Guides - NSK EuropeNSK Linear slides - designed for superior linear motion: the different series of linear guides meet the needs of the various industries we serveNSK Linear Guides | NSK Linear Bearings | CNC Parts DeptNSK linear guides available include NSK NH Series interchangeable linear guides. NSK bearings are available in 35mm, 45mm, and 55mm sizes

ANGULAR CONTACT BALL BEARINGS				
AURORA	SKF	RBC	MCGILL	REXNORD
N-221E M	QAF09A112SEM	6005lu	QMCW18J307SE B	QMF08J108SEM
N-222 M	QAFL09A045SB	BSA 212 CGA	TAFKP15K207SC	DVF13K060SEO

NNU-4920 MS P/5 C/3	QAFL09A045SN	UCX14	QAFLP18A090SE M	QVFKP20V304SE C
N-221E C/3	QAFYP13A060SB	UCST210-30TC	QAFLP18A303SE B	QAACW11A055S B
NNU-4920-KMS P/5	QAFYP13A060SE Q	UCST209TC	QACW18A307SO	QAFL11A055SET
N-221E M C/3	QAFYP13A060SM	UCST209-28TC	QAAFXP20A315S EQ	QVVFL19V308SO
N-222 M C/3	QMF08J108SEM	UCST210-31TC	QMCW20J311SE B	QMF11J203SEM
N-222E	DVF13K060SEO	UCX14-43	QAFLP18A303SE M	DVF17K300SEO
NNU-4921 MS P/5	QVFKP20V304SE C	UCST210-32TC	QACW10A115SE Q	QAFL11A055ST
N-214E M	QAACW11A055S B	UCX13-40	QMCW20J311ST	QVFKP22V312SB
N-215 M	QAFL11A055SET	UCX15	QAAFXP20A315S N	QVVFL19V090SO
N-215 C/3	QVVFL19V308SO	UCX14-44	QAFLP18A303SE Q	DVF20K090SEO
N-214E M C/3	QMF11J203SEM	UCST210TC	QVCW26V110SM	QVFKP22V312SE B
N-215 M C/3	DVF17K300SEO	UCX15-47	QVVC14V065SEB	N307ET
N-215E C/3	QAFL11A055ST	UCST211-32TC	QVCW26V407SM	NU230W
N-215E	QVFKP22V312SB	UCX15-48	QAFLP18A304SB	NJ308ET
N-215	QVVFL19V090SO	UCST211-34TC	QVCW26V115SE M	NU314ET
N-215E M	DVF20K090SEO	UCX16-51	QAFLP18A304SE N	NJ2205ET
N-215E M C/3	QVFKP22V312SE B	UCX16	QAFLP18A304SE I	NN3010MBKRE44 CC1P4
N-215E M C/4	N307ET	UCST211-35TC	QAFLP18A304SE Q	NN3017MBKRE44 CC1P4
N-215E M P/5	NU230W	UEWTPL207-20W	QAAFXP20A400S C	NU1008M
N-216	NJ308ET	UCX08	QAAFXP26A415S EB	NU207ET
N-216 C/3	NU314ET	UCST203-11TC	QAFLP18A307SB	NU211ET
N-216E	NJ2205ET	UEWTPL207-22W	QAAFXP26A500S M	NUP206ET
N-216 M C/3	NN3010MBKRE44 CC1P4	UCX08-24	QAFLP18A308SB	NU311ET
N-216 M	NN3017MBKRE44 CC1P4	UCST204-12TC	QVFXP11V050SN	NUP2213ET
N-216E C/3	NU1008M	UCST203TC	QAFLP18A308SC	NNU-4924-KMS P/5

N-216E M	NU207ET	UCX09-26	QAFLP18A308SE I	N-222E M
NU-202 M	NU211ET	UCST204TC	QVFXP11V200SE N	N-222E M C/3
NCF-2928V	NUP206ET	UEWTPL207-23W	QMCW20J312SC	NNU-4926 MS P/5
NU-2220 M	NU311ET	UC205-16C4HR23	QVVCW26V115S EM	NU-1007 M C/3
NU-2220E	NUP2213ET	BTM206-17NP	QVFXP11V200SN	N-224 C/3
NCF-2930V	NNU-4924-KMS P/5	UCMFL202MZ2	QAFLP18A308SM	N-224 C/4
NU-2220E M C/3	N-222E M	UCST205-14TC	TAFKP26K407SE I	N-224
NCF-2932V C/3	N-222E M C/3	BTM205NP	QAFLP20A100SM	NU-1007E
NU-2220E M C/4	NNU-4926 MS P/5	UCX09-27	TAFKP26K407SO	N-224 M C/3
NCF-2932V	NU-1007 M C/3	BTM206-18NP	QAFLP18A080SB	N-224 M
NU-2222	N-224 C/3	UCST205-15TC	TAFKP26K407ST	N-224E
NCF-2934V BR	N-224 C/4	UCX09-28	QAFLP18A080SE N	N-224E C/3
NCF-2934V	N-224	UCX10	QVFKP17V212SE M	N-224E M
NU-2222 C/3	NU-1007E	UCST206-20NPM Z20	QVFXP16V215SO	N-224E M C/3
NCF-2936V	N-224 M C/3	UCST206-19NPM Z20	QAFLP18A080ST	N-226
NU-2222E M C/3	N-224 M	UCWTPL206MZ2 W	QVFXP22V311SB	N-226 C/3
NCF-2938V	N-224E	UCWTPL207-20M Z2W	QVFYP12V055SE M	NU-1008 M
NU-2222E-KM	N-224E C/3	UCWTPL207MZ2 W	QVFXP22V315SB	NU-1008 M C/3
NCF-2936V C/3 BR	N-224E M	UCST209-27NPM Z20	QVFYP12V204SE O	N-226 M
NCF-2938V C/3	N-224E M C/3	UCST207-20NPM Z20	QVFXP22V311SE I	N-226E
NCF-2940V	N-226	UCST207-23NPM Z20	QVVF22V400SM	N-226 M C/3
NU-2226 M C/3	N-226 C/3	UCWTPL207-23M Z2W	QVFXP22V312SM	N-226E C/3
NCF-2948V	NU-1008 M	UCST209-28NPM Z20	QVVF14V060SB	NU-1009 M
NU1022-M1-C3	NU-1008 M C/3	UCWTPL208-24M Z2W	QAFLP18A080SE O	N-226E M
NU1022-M1A-C3	N-226 M	UCWTPL207-21M Z2W	QVFXP22V315SE N	N-226E M C/3
NU1024-M1	N-226E	UCWTPL201-8W	QVFYP12V204ST	N-228
NU1024-M1-C3	N-226 M C/3	UCWTPL207-22M	QVFXP22V315SE	NU-1009 M C/3

		<u>Z2W</u>	<u>I</u>	
<u>SL192313-C3</u>	<u>N-226E C/3</u>	<u>UCST208-24NPM</u> <u>Z20</u>	<u>QVVF14V208SB</u>	<u>N-228 C/3</u>
<u>MR5209</u>	<u>NU-1009 M</u>	<u>UCST207-22NPM</u> <u>Z20</u>	<u>QVVF16V211SB</u>	<u>N-228 M</u>
<u>NU2207ET</u>	<u>N-226E M</u>	<u>UCWTPL208M2</u> <u>W</u>	<u>QVFXP22V315SM</u>	<u>N-228 M C/3</u>
<u>NU2205W</u>	<u>N-226E M C/3</u>	<u>UCWTPL201W</u>	<u>QVVF16V070SB</u>	<u>NU-1014 M C/3</u>
<u>NUP2209ET</u>	<u>N-228</u>	<u>UCWTPL202-10W</u>	<u>QVFXP22V315SN</u>	<u>NU-2232E M</u>
<u>NJ2310ET</u>	<u>NU-1009 M C/3</u>	<u>UCWTPL202W</u>	<u>QVFXP26V115SE</u> <u>I</u>	<u>N-221 M</u>
<u>NJ205ET</u>	<u>N-228 C/3</u>	<u>UCWTPL203-11W</u>	<u>QVVF19V304SB</u>	<u>N-221 C/3</u>
<u>NJ2207W</u>	<u>N-228 M</u>	<u>UCST210-31NPM</u> <u>Z20</u>	<u>QAC09A045SEO</u>	<u>N-221</u>
<u>NN3011TBKRE44</u> <u>CC1P4</u>	<u>N-228 M C/3</u>	<u>QAFL18A304SN</u>	<u>QVVF16V212ST</u>	<u>N-221 M C/3</u>
<u>NJ210ET</u>	<u>NU-1014 M C/3</u>	<u>QMCW18J304SB</u>	<u>TAFK20K308SEN</u>	<u>N-221E</u>
<u>NU205ET</u>	<u>NU-2232E M</u>	<u>QAACW26A130ST</u>	<u>QAC09A112SET</u>	<u>NNU-49/500-KMS</u> <u>P/5</u>
<u>NJ312ET</u>	<u>N-221 M</u>	<u>QAAC20A315SO</u>	<u>TAFK20K308SO</u>	<u>NNU-4920 MS P/5</u>
<u>NU306ET</u>	<u>N-221 C/3</u>	<u>QMCW18J304SE</u> <u>N</u>	<u>TAFK22K100SM</u>	<u>N-221E M</u>
<u>NN3021MBKRE44</u> <u>CC1P4</u>	<u>N-221</u>	<u>QAAC18A307SEO</u>	<u>QAC09A112SM</u>	<u>N-222 M</u>
<u>NU208ET</u>	<u>N-221 M C/3</u>	<u>QVVCW16V070S</u> <u>EB</u>	<u>QVVF19V090SEM</u>	<u>NNU-4920 MS P/5</u> <u>C/3</u>
<u>NU317W</u>	<u>N-221E</u>	<u>QAFYP15A070SE</u> <u>Q</u>	<u>QVVF19V307SEB</u>	<u>N-221E C/3</u>
<u>NJ209ET</u>	<u>NNU-49/500-KMS</u> <u>P/5</u>	<u>QACW11A204SO</u>	<u>QACW09A040SE</u> <u>M</u>	<u>NNU-4920-KMS</u> <u>P/5</u>
<u>NN3020MBKRE44</u> <u>CC1P4</u>	<u>NNU-4920 MS P/5</u>	<u>QAFYP15A070SE</u> <u>I</u>	<u>TAFK22K100SO</u>	<u>N-221E M C/3</u>
<u>NU207ETC3</u>	<u>N-221E M</u>	<u>QAFYP15A070ST</u>	<u>QACW09A111SE</u> <u>Q</u>	<u>N-222 M C/3</u>
<u>NU2212ET</u>	<u>N-222 M</u>	<u>QAFYP15A075SE</u> <u>B</u>	<u>QVVF19V308SEB</u>	<u>N-222E</u>
<u>NU212ET</u>	<u>NNU-4920 MS P/5</u> <u>C/3</u>	<u>QAFYP15A215SB</u>	<u>QACW09A112SE</u> <u>M</u>	<u>NNU-4921 MS P/5</u>
<u>NN3011MBKRE44</u> <u>CC1P4</u>	<u>N-221E C/3</u>	<u>QAFYP15A215SE</u> <u>M</u>	<u>QAF09A040SEN</u>	<u>N-214E M</u>
<u>NUP209ET</u>	<u>NNU-4920-KMS</u> <u>P/5</u>	<u>TAFKP13K203SO</u>	<u>QAF09A040SN</u>	<u>N-215 M</u>
<u>NUP309-E-TVP2</u>	<u>N-221E M C/3</u>	<u>TAFKP13K204SB</u>	<u>QVVF22V315SEB</u>	<u>N-215 C/3</u>
<u>NU317ET</u>	<u>N-222 M C/3</u>	<u>QAFLP18A085SE</u> <u>Q</u>	<u>QVVFC17V212SE</u> <u>Q</u>	<u>N-214E M C/3</u>
<u>NJ326W</u>	<u>N-222E</u>	<u>TAFKP13K204SM</u>	<u>QAF09A112SEB</u>	<u>N-215 M C/3</u>

NJ308-E-M1-C3	NNU-4921 MS P/5	QAFYP15A300SE	TAFK22K315SEB	N-215E C/3
		C		
NJ218W	N-214E M	TAFKP13K204SO	TAFK22K315SEM	N-215E
-	N-215 M	QAFLP18A085SN	QAF09A111SC	N-215
-	N-215 C/3	-	QVFL16V070SM	N-215E M
-	N-214E M C/3	-	QAF09A112SEM	N-215E M C/3
-	-	-	QAFL09A045SB	-
-	-	-	QAFL09A045SN	-
-	-	-	QAFYP13A060SB	-

Linear Guides - NSK
 NSK Linear Guides are manufactured for superior linear motion. Various designs are offered in order to meet the diverse range of industries we serve. Special coatings, lubricants, accuracies and custom designs are available to meet the demanding needs of your specific applications. NSK Linear Guides contact bearings, self-aligning capability is high because the use of the "NSK K1™" lubrication unit, they are the new linear guides, easy to use for any kind of

NSK Linear Guides - Steven Engineering
 Note: CAD DXF drawing files are also available for other NSK Linear Motion Products . Slide linear bearing on to the linear rail, using the plastic provisional rail NSK Linear Guides™ | Precision Machine Components
 NSK - Motion & Control . The manufacturing process for NSK Linear Guides incorporates production technologies that ensure high customer needs by offering various products such as miniature Linear Guides for special specifications