

skf stainless steel bearings dimensions

Our company offers different skf stainless steel bearings, skf bearing, skf bearing, at Wholesale Price? Here, you can get high quality and high efficient skf stainless steel bearings

SKF stainless steel deep groove ball bearings¹⁾ are corrosion resistant when exposed to moisture and several other media. They can accommodate radial loads and axial loads acting in both directions. SKF

SKF specialty ball bearings Stainless steel deep groove ball bearings. Reliable performance in corrosive environments. When corrosion resistance is essential, so are SKF stainless steel SKF corrosion resistant ball bearings for the food and SKF Food Line stainless steel deep groove ball bearings offer high corrosion resistance for virtually all food and beverage environments. Compliance with food

ANGULAR CONTACT BALL BEARINGS								
	b	H	d	L	D	B	S	h
QACW15 A215SO	-	-	-	-	-	-	4.763 mm	31.75 mm
QVVF19V 090SEM	-	-	45mm	-	65mm	14mm	-	-
QVVF19V 307SEB	-	-	-	-	9.2500 in	-	-	-
QACW09 A040SEM	-	-	-	-	7.8750 to 8.3750 in	-	-	-
TAFK22K 100SO	-	-	0.6250 in	-	2.5000 in	3.1875 in	-	-
QACW09 A111SEO	-	-	-	-	-	1.1560 in	-	-
QVVF19V 308SEB	-	-	-	-	-	-	-	-
QACW09 A112SEM	-	-	-	-	5.8120 in	-	-	-
QAF09A0 40SEN	-	-	-	-	90 mm	-	-	-
QAF09A0 40SN	-	-	3/8 in	-	1/2 in	-	-	-
QVVF22V 315SEB	-	-	1.5000 in	-	-	-	-	-
QVVF17 V212SEO	-	-	-	-	-	-	-	-
QAF09A1 12SEB	-	-	2.9375 in	-	-	-	-	-
TAFK22K	-	-	-	-	-	-	-	-

315SEB								
TAFK22K	-	-	2.6875 in	-	-	-	-	-
315SEM								
QAF09A1	-	-	3.1875 in	-	-	-	-	-
11SC								
QVFL16V	-	-	-	-	-	15mm	-	-
070SM								
QMCW18	-	-	-	-	-	-	-	-
J307SEB								
TAFKP15	-	-	1.2500 in	-	-	-	-	-
K207SC								
QAFLP18	-	-	-	-	-	-	-	-
A090SEM								
QAFLP18	-	-	110mm	-	200mm	53mm	-	-
A303SEB								
QACW18	-	-	1.2500 in	-	3.2400 in	4.1600 in	-	-
A307SO								
QAAFXP2	-	-	80 mm	-	140 mm	26 mm	-	-
0A315SE								
Q								
QMCW20	-	-	35mm	-	72mm	-	-	-
J311SEB								
QAFLP18	-	-	-	-	-	1.3125 in	-	-
A303SEM								
QACW10	-	-	110 mm	-	200 mm	69.8 mm	-	-
A115SEO								
QMCW20	-	-	-	-	-	-	-	-
J311ST								
QAAFXP2	-	-	0.7500 in	-	-	-	-	-
0A315SN								
QAFLP18	-	-	2.4375 in	-	5.3750 in	6.7500 in	-	-
A303SEO								
QVCW26	-	-	-	-	40 mm	-	-	-
V110SM								
QVVC14V	-	-	1/2 in	-	3/4 in	-	-	-
065SEB								
QVCW26	-	-	3.1875 in	-	-	4-3/8 in	-	-
V407SM								
QAFLP18	-	-	-	-	5.5670 in	-	-	-
A304SB								
QVCW26	-	-	-	-	5.9090 in	-	-	-
V115SEM								
QAFLP18	-	-	-	-	-	-	-	-
A304SEN								
QAFLP18	-	-	-	-	2-7/8 in	-	-	-
A304SET								

QAFLP18 A304SEO	-	-	-	-	-	-	-	-
QAAFXP2 0A400SC	-	-	-	-	14 mm	-	-	-
QAAFXP2 6A415SE B	-	-	2.6875 in	-	-	3.6875 in	-	-
QAFLP18 A307SB	-	-	-	-	-	-	-	-
QAAFXP2 6A500SM	11.1 mm	-	-	-	-	-	-	-
QAFLP18 A308SB	-	-	-	-	-	-	-	-
QVFXP11 V050SN	-	-	45 mm	-	85 mm	1-15/16 in	-	-
QAFLP18 A308SC	-	-	25mm	-	52mm	15mm	-	-
QAFLP18 A308SET	-	-	0.3750 in	-	0.8750 in	0.2813 in	-	-
QVFXP11 V200SEN	-	-	45 mm	-	-	16 mm	-	-
QMCW20 J312SC	-	-	45 mm	-	100 mm	25 mm	-	-
QVVCW2 6V115SE M	-	-	1.7500 in	-	-	-	-	-
QVFXP11 V200SN	-	-	65 mm	-	140 mm	2.3125 in	-	-
QAFLP18 A308SM	-	-	-	-	-	-	-	-
TAFKP26 K407SET	-	-	-	-	5.8750 in	7.3750 in	-	-
QAFLP20 A100SM	-	-	-	-	-	-	-	-
TAFKP26 K407SO	-	-	-	-	-	29 mm	-	-
QAFLP18 A080SB	-	-	1.2500 in	-	3.5625 in	4.4375 in	-	-
TAFKP26 K407ST	-	-	-	-	1.6140 in	-	-	-
QAFLP18 A080SEN	-	-	-	-	35mm	11mm	-	-
QVFKP17 V212SEM	-	-	17 mm	-	40 mm	12 mm	-	-
QVFXP16 V215SO	-	-	-	-	-	132 mm	-	-

QAFLP18 A080ST	-	-	-	-	13/16 in	-	-	-
QVFXP22 V311SB	-	-	-	-	150mm	36mm	-	-
QVFYP12 V055SEM	-	-	1.7500 in	-	-	4.2500 in	-	-
QVFXP22 V315SB	-	-	50 mm	-	62 mm	-	-	-
QVFYP12 V204SEO	-	-	30mm	-	62mm	16mm	-	-
QVFXP22 V311SET	-	-	1-7/16 in	-	5 in	-	-	-
QVVF22V 400SM	-	-	-	-	-	1 in	-	-
QVFXP22 V312SM	-	-	-	-	58 mm	-	-	-
QVVF14V 060SB	-	-	50 mm	-	65 mm	-	-	-
QAFLP18 A080SEO	-	-	1.7500 in	-	-	-	-	-
QVFXP22 V315SEN	-	-	-	-	-	-	-	-
QVFYP12 V204ST	-	-	-	-	-	-	-	-
QVFXP22 V315SET	-	165.894 mm	-	265.113 mm	-	-	0.794 mm	-
QVVF14V 208SB	-	-	35 mm	-	-	87.5 mm	-	-
QVVF16V 211SB	-	-	65mm	-	120mm	23mm	-	-
QVFXP22 V315SM	-	-	-	-	-	-	-	-
QVVF16V 070SB	-	-	25 mm	-	47 mm	-	-	-
QVFXP22 V315SN	-	-	-	-	-	-	-	60.325 mm
QVFXP26 V115SET	-	-	-	-	-	-	-	-
QVVF19V 304SB	-	-	40 mm	-	3.1496 in	-	-	-
QAC09A0 45SEO	-	-	-	-	-	-	-	-
QVVF16V 212ST	-	-	40 mm	-	-	65 mm	-	-
TAFK20K 308SEN	-	-	90 mm	-	-	-	-	-

QAC09A1 12SET	-	-	50 mm	-	110 mm	-	-	-
TAFK20K 308SO	-	-	45 mm	-	-	-	-	-
TAFK22K 100SM	-	-	-	-	-	222.3 mm	-	-
QAC09A1 12SM	-	-	8mm	-	19mm	-	-	-

SKF stainless steel deep groove ball bearings¹⁾ are corrosion resistant when exposed to moisture and several other media. They can accommodate radial loads and axial loads acting in both directions. SKF

SKF Food Line stainless steel deep groove ball bearings
SKF Food Line stainless steel deep groove ball bearing features include: Prelubrication with high quality grease registered by NSF as category H1*; A nitrile Stainless steel deep groove ball bearings | SKF
SKF uses cookies on our web site to align the information shown as closely as possible to the visitors' preferences and to tailor our web site user experience in

ANGULAR CONTACT BALL BEARINGS				
IKO	SKF	AURORA	REXNORD	RBC
QAF09A112SEM	NN3026MBKRE44 CC1P4	N-221E M	QMF08J108SEM	6005lu
QAF09A045SB	MS-14 1/2-AC	N-222 M	DVF13K060SEO	BSA 212 CGA
QAF09A045SN	MS-15-AC	NNU-4920 MS P/5 C/3	QVFKP20V304SE C	UCX14
QAFY13A060SB	MS-16-AC	N-221E C/3	QAACW11A055S B	UCST210-30TC
QAFY13A060SE Q	MS-17-AC	NNU-4920-KMS P/5	QAFL11A055SET	UCST209TC
QAFY13A060SM	MS-18-AC	N-221E M C/3	QVVFL19V308SO	UCST209-28TC
QMF08J108SEM	MS-19 1/2-AC	N-222 M C/3	QMF11J203SEM	UCST210-31TC
DVF13K060SEO	MS-19-AC	N-222E	DVF17K300SEO	UCX14-43
QVFKP20V304SE C	MS-20-AC	NNU-4921 MS P/5	QAFL11A055ST	UCST210-32TC
QAACW11A055S B	MS-21-AC	N-214E M	QVFKP22V312SB	UCX13-40
QAFL11A055SET	MS-22-AC	N-215 M	QVVFL19V090SO	UCX15
QVVFL19V308SO	LS-16-AC	N-215 C/3	DVF20K090SEO	UCX14-44
QMF11J203SEM	LS-18-AC	N-214E M C/3	QVFKP22V312SE B	UCST210TC
DVF17K300SEO	5324 M C/3	N-215 M C/3	N307ET	UCX15-47
QAFL11A055ST	5328 M	N-215E C/3	NU230W	UCST211-32TC
QVFKP22V312SB	5328 M C/3	N-215E	NJ308ET	UCX15-48
QVVFL19V090SO	LJT1.3/8M	N-215	NU314ET	UCST211-34TC
DVF20K090SEO	LJT2.3/4M	N-215E M	NJ2205ET	UCX16-51

QVFKP22V312SE	LJT1M	N-215E M C/3	NN3010MBKRE44	UCX16
B			CC1P4	
N307ET	LJT5/8M	N-215E M C/4	NN3017MBKRE44	UCST211-35TC
			CC1P4	
NU230W	KC047ARO	N-215E M P/5	NU1008M	UEWTPL207-20W
NJ308ET	KB055ARO	N-216	NU207ET	UCX08
NU314ET	KG070XP0	N-216 C/3	NU211ET	UCST203-11TC
NJ2205ET	3006-ZZ	N-216E	NUP206ET	UEWTPL207-22W
NN3010MBKRE44	5205	N-216 M C/3	NU311ET	UCX08-24
CC1P4				
NN3017MBKRE44	5308	N-216 M	NUP2213ET	UCST204-12TC
CC1P4				
NU1008M	5309 ZZ	N-216E C/3	NNU-4924-KMS	UCST203TC
			P/5	
NU207ET	5310 ZZ	N-216E M	N-222E M	UCX09-26
NU211ET	JHA10XL0	NU-202 M	N-222E M C/3	UCST204TC
NUP206ET	KA030ARO	NCF-2928V	NNU-4926 MS P/5	UEWTPL207-23W
NU311ET	KA040XP0	NU-2220 M	NU-1007 M C/3	UC205-16C4HR23
NUP2213ET	JU075XP0	NU-2220E	N-224 C/3	BTM206-17NP
NNU-4924-KMS	KAA10AG0	NCF-2930V	N-224 C/4	UCMFL202MZ2
N-222E M	KG250ARO	NU-2220E M C/3	N-224	UCST205-14TC
N-222E M C/3	KAA15AG0	NCF-2932V C/3	NU-1007E	BTM205NP
NNU-4926 MS P/5	KB020ARO	NU-2220E M C/4	N-224 M C/3	UCX09-27
NU-1007 M C/3	KB025ARO	NCF-2932V	N-224 M	BTM206-18NP
N-224 C/3	KB030ARO	NU-2222	N-224E	UCST205-15TC
N-224 C/4	KC040ARO	NCF-2934V BR	N-224E C/3	UCX09-28
N-224	KC045ARO	NCF-2934V	N-224E M	UCX10
NU-1007E	KC050XP0	NU-2222 C/3	N-224E M C/3	UCST206-20NPM
				Z20
N-224 M C/3	KF080ARO	NCF-2936V	N-226	UCST206-19NPM
				Z20
N-224 M	KF065ARO	NU-2222E M C/3	N-226 C/3	UCWTPL206MZ2
				W
N-224E	KG110XP0	NCF-2938V	NU-1008 M	UCWTPL207-20M
				Z2W
N-224E C/3	KA070XP0	NU-2222E-KM	NU-1008 M C/3	UCWTPL207MZ2
				W
N-224E M	KD140XP0	NCF-2936V C/3	N-226 M	UCST209-27NPM
		BR		Z20
N-224E M C/3	KD045XP0	NCF-2938V C/3	N-226E	UCST207-20NPM
				Z20
N-226	KF050XP0	NCF-2940V	N-226 M C/3	UCST207-23NPM
				Z20
N-226 C/3	7226BMG	NU-2226 M C/3	N-226E C/3	UCWTPL207-23M
				Z2W

NU-1008 M	3803-B-2RS-TVH	NCF-2948V	NU-1009 M	UCST209-28NPM Z20
NU-1008 M C/3	5305 NR	NU1022-M1-C3	N-226E M	UCWTPL208-24M Z2W
N-226 M	7212BMU	NU1022-M1A-C3	N-226E M C/3	UCWTPL207-21M Z2W
N-226E	30/5-B-2RSR-TVH	NU1024-M1	N-228	UCWTPL201-8W
N-226 M C/3	7219BMU C3	NU1024-M1-C3	NU-1009 M C/3	UCWTPL207-22M Z2W
N-226E C/3	7226BMU C3	SL192313-C3	N-228 C/3	UCST208-24NPM Z20
NU-1009 M	7222BMU C3	MR5209	N-228 M	UCST207-22NPM Z20
N-226E M	5303 2RS	NU2207ET	N-228 M C/3	UCWTPL208M2Z W
N-226E M C/3	5301 2RS	NU2205W	NU-1014 M C/3	UCWTPL201W
N-228	5302 2RS	NUP2209ET	NU-2232E M	UCWTPL202-10W
NU-1009 M C/3	5300 ZZ	NJ2310ET	N-221 M	UCWTPL202W
N-228 C/3	5302 ZZ	NJ205ET	N-221 C/3	UCWTPL203-11W
N-228 M	3313 ANR	NJ2207W	N-221	UCST210-31NPM Z20
N-228 M C/3	3312 E-ZZ	NN3011TBKRE44 CC1P4	N-221 M C/3	QAAFL18A304SN
NU-1014 M C/3	3206 E-ZZ	NJ210ET	N-221E	QMCW18J304SB
NU-2232E M	3203 A-2ZTN9/LHT64	NU205ET	NNU-49/500-KMS P/5	QAACW26A130ST
N-221 M	3208 A-Z	NJ312ET	NNU-4920 MS P/5	QAAC20A315SO
N-221 C/3	3208 A-ZZ/LHT64	NU306ET	N-221E M	QMCW18J304SE N
N-221	5307 A	NN3021MBKRE44 CC1P4	N-222 M	QAAC18A307SEO
N-221 M C/3	71920 ACD/HCTB TAVQ253	NU208ET	NNU-4920 MS P/5 C/3	QVVCW16V070S EB
N-221E	71920 ACD/QGAVQ253	NU317W	N-221E C/3	QAFYP15A070SE O
NNU-49/500-KMS P/5	71920 ACDGA/VQ253	NJ209ET	NNU-4920-KMS P/5	QACW11A204SO
NNU-4920 MS P/5	71920 ACDGAT/H CVQ253	NN3020MBKRE44 CC1P4	N-221E M C/3	QAFYP15A070SE I
N-221E M	71920 ACD/QGBVQ253	NU207ETC3	N-222 M C/3	QAFYP15A070ST
N-222 M	71920 ACDGB/VQ253	NU2212ET	N-222E	QAFYP15A075SE B
NNU-4920 MS P/5 C/3	71920 ACDT/TBT BVQ126	NU212ET	NNU-4921 MS P/5	QAFYP15A215SB
N-221E C/3	7207 BEGAY	NN3011MBKRE44	N-214E M	QAFYP15A215SE

		CC1P4		M
NNU-4920-KMS P/5	71920 ACDGA/HCVQ253	NUP209ET	N-215 M	TAFKP13K203SO
N-221E M C/3	71917 ACDGA/HCVQ422	NUP309-E-TVP2	N-215 C/3	TAFKP13K204SB
N-222 M C/3	71917 ACDGA/VQ075	NU317ET	N-214E M C/3	QAFPL18A085SE O
N-222E	71917 ACE/HCDG AVQ126	NJ326W	N-215 M C/3	TAFKP13K204SM
NNU-4921 MS P/5	71917 ACE/HCTB TG16VJ154	NJ308-E-M1-C3	N-215E C/3	QAFYP15A300SE C
N-214E M	71917 CD/DBBVQ253	NJ218W	N-215E	TAFKP13K204SO
N-215 M	71920 CDGB/VQ253	-	N-215	QAFPL18A085SN
N-215 C/3	-	-	N-215E M	-
N-214E M C/3	-	-	N-215E M C/3	-

Stainless steel deep groove ball bearings | SKF SKF uses cookies on our web site to align the information shown as closely as possible to the visitors' preferences and to tailor our web site user experience in SKF corrosion resistant ball bearings for the food and SKF Food Line stainless steel deep groove ball bearings offer high corrosion resistance for virtually all food and beverage environments. Compliance with food

Stainless Steel Deep Groove Ball Bearings | SKF Stainless steel deep groove ball bearings are available capped or open. Learn more about deep groove bearings and more on the official SKF website! Stainless Steel Deep Groove Ball Bearings | SKF Stainless steel deep groove ball bearings are available capped or open. Learn more about deep groove bearings and more on the official SKF website!